

INFORMATION LEAFLETS FOR PARENTS / CARERS OF A CHILD

With an ARM CAST CARE



INTRODUCTION

Your child's doctor has placed your child's arm in a cast in order to keep it from moving to allow the broken bone to heal. A cast will stabilise and hold bones and joints in place following a break or surgery until the bone is healed. It is very important that you read and follow the guidelines below.

Caring for your Child's cast at home:

- When your child is sitting down keep your child's arm raised on a soft surface such as a pillow especially for the first few days. This will help reduce swelling and avoid pain.
- Keep your child's cast clean and dry. If it gets wet, you must contact the hospital for it to be checked.
- Exercise other joints (not held in cast) as much as possible. This will help reduce stiffness and improve circulation.
- **Do not** put anything down the cast if the skin is itchy. This can cause damage to the skin underneath. Your Nurse will guide you on what to do if itching is a problem underneath the cast.
- Your child will be provided with a sling if they require one. It is important to remove the sling at times throughout the day to prevent stiffness.
- Do not bang or lean on your cast for:
 - 48 hours if it's a Plaster of Paris Cast
 - 1 hour for a Fibreglass cast or Soft cast.
- Do not change or alter your child's cast in any way. Please contact the Plaster Nurse if you have any concerns about your child's cast.

Signs and symptoms to observe closely for/ if you notice ANY of the following:

- Swelling of the fingers
- If the fingers become blue or white.
- Numbness or Pins and Needles in the fingers
- Coldness of the fingers.
- No relief from pain after taking pain-relieving medicines.
- Reduced/ No movement in the fingers



Elevate the arm for 30 minutes. If no improvement, report immediately to the Emergency Department.

Contact the Plaster Care Nurse on 01 4096100 Bleep 8336 or Voicemail 2412 Monday – Friday between 08:00am- 5:30pm if any of the following occur:

- The cast becomes soft/ cracks/ breaks
- The cast becomes loose or falls off
- The cast becomes uncomfortable
- Objects get stuck inside the cast
- If there is excessive itching or a burning sensation underneath the cast
- Unpleasant smell or discharge coming from the cast.
- If you have any questions outside of these hours, contact the Emergency Department on 01 4096326.

Pain and Discomfort:

Your child may experience some discomfort for the first few days. Administer pain relieving medicines if necessary for the first 2-3 days. If pain does not settle with over the counter pain relieving medicines, please present to the **Emergency Department.**

Cast Removal:

The cast will be removed at the clinic by your healthcare provider or you may be given instructions on how you can remove it at home.

Do not remove your cast at home unless you have been instructed to do so.

Certain casts require a specialised cast saw for them to be removed. It is not painful to do this but the machine is noisy.

Outpatients:

You will be given an appointment if your child needs to return to the Fracture clinic. Your child may need to have X-rays taken, the cast removed or a new cast applied. Therefore, you may be in the department for some time. Please come prepared. Bring along snacks and favorite toys for your child to keep him/ her distracted.

For more information on your child's Arm Cast Care please contact the Orthopaedic Plaster Nurses on:

01 4096100 Bleep 8336 Voicemail 2412

Remember: Ask your nurse if you are unsure about anything about your child's care.

Additional Instructions

Developed by: Orthopaedic Plaster Care CNS
Date issued: June 2020
Date of review: June 2022

Disclaimer & Copyright ©2020, Children's Health Ireland at Crumlin, Dublin 12. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the copyright holder. Every effort has been made to ensure that the information provided is accurate and in accord with standards accepted at the time of printing.

