

# **NURSING CARE PLAN No 14a**

## **External Fixator**

Please use careplan in conjunction with careplan 1

Full Name:
Address: Addressograph
HCR

			-			
Care Plan <mark>No 14a</mark> Problem		External Fixator Goals				
		To provide stability post-operative	ely.			
has an external fixator  • Maintain infection free pin sites			-			
	ilateral □ Pelvic □ Halo □	<ul> <li>Maintain limb flexibility and mobility as appropriate</li> </ul>				
on	ilatorar e i civio e rialo e	-				
	Lower limb □ Pelvis □ Head □	appropriate action.	Carry	detection of	Same with	
		nction with the following Careplans:				
	-	-operative care / Careplan 14: Traci		ro		
	Сагеріан б. ғте қ ғозі	Operative care / Carepian 14. Tract	lion Ca	Commencement,	Discontinued,	
No	NURSI	NG INTERVENTION		Date, Signature, Time, Grade	Date, time, Signature, Grade	
1		ascular Assessment				
<ul> <li>Monitor of normal.</li> </ul>	colour of affected limb (where ap	propriate) - report and record deviations	s from			
	movement of affected limb and eviations.	all digits (where appropriate) - repo	rt and			
Monitor I	limb sensation (where appropria	ate), checking each digit separately -	report			
	rd deviations.		ook of			
	emperature of affected limb, (as ssors hand) - report and record	ssess each digit separately using the badeviations.	ack or			
	all pulses distal to the external fi					
-	ation is restricted, assess capilla					
	•	•	roord			
	anected limb for swelling, odziins from normal.	ng from any wound sites. Report and r	ecora			
	observations as follows:					
• ½ hourly		2 hourly for 4 hours; 4 hourly thereafter	or as			
		se baseline assessment. Contact Ortho	paedic			
•	port any deviations from normal.		,			
		External Fixator Care				
Liaise w Bleep	in C.N.S. Limb Reconstruction	on regarding specific care requirement	enis -			
•	—. e (External Fixator)					
	•	are covered with plastic tip covers				
		-				
		peratively unless contraindicated.				
• Carry ou	t pin site care as per pin site car	e guideimes.				
Pin Site Care	e (Halo)					
<ul> <li>Check</li> </ul>	all pin sites daily for signs of in	fection				
<ul> <li>Carry</li> </ul>	out Halo pin site care as per gui	deline				



# **NURSING CARE PLAN No 14a**

## **External Fixator**

Please use careplan in conjunction with careplan 1

Full Name:
Address: Addressograph
HCR

	3	Positioning and Mobility	Commencement , Date, Signature, Time, Grade	Discontinued, Date, time, Signature, Grade
•		ng will be specific to each individual child, depending on the position of the		
	external fixator:			
•	Upper limb: Rest arm in an outstretched position on pillow to maintain limb in			
	extension at rest.			
•		nb: Elevate lower limb on one pillow positioned below the knee to maintain ension at rest.		
_				
•	bleep 85	th physiotherapist re timing of analgesia prior to physiotherapy		
•	•	ost-operative record regarding weight bearing status.		
Mol	=	: <b>Day 1</b> : Bed exercises with physiotherapist.		
	Jiney pion	<b>Day 2</b> : Commence weight-bearing in gym, BD physiotherapy		
		Day 3: Onwards: BD Physiotherapy		
	4	Splinting		
•	Liaise wi	th Occupational Therapy regarding use of splints - Bleep		
•	Ensure s	skin integrity is maintained by alternating time in and out of splints. Report		
	any redn	less or skin breakdown to the Occupational Therapist. Discontinue splint		
	usage ur	ntil reviewed.		
•	Ensure of	hild and parent or carer are taught how to apply splints.		
•		ame only: Ensure foot is maintained in plantigrade position at all times by		
		, shoe and lace or splint to prevent foot drop.		
	5	Pain Management (see also pre & post-operative care plan 6)		
•	-	pain score on return from theatre.		
•		er prescribed analgesia and monitor effectiveness of same, report and		
	record sa	er morphine as prescribed and as per Opioid Guidelines (2011). Prior to		
•		ecovery department with child, ensure morphine infusion has been prepared		
	•	and is in a locked pump.		
•				
	correct positioning of limb.			
•	•	any bone reconstruction procedures e.g. bone lengthening / reconstruction		
	and not soft tissue correction			
Ν.5	S.A.I.D.s	can be used in conjunction with other analgesia BUT should only be used		
wit	hin the firs	st 72 hours post-operatively.		
	6	Parent & Child Education		
•		hild / parents / carer in all aspects of care.		
•		th Limb Reconstruction CNSp to deliver appropriate education and provide		
		formation prior to discharge.  Additional Information		
	7	Additional information		



### **NURSING CARE PLAN No 14a**

#### **External Fixator**

Please use careplan in conjunction with careplan 1

Full Name:
Address: Addressograph
HCR

#### **References**

OLCHC (2015), Pin Site Guidelines, OLCHC, Dublin.

OLCHC (2015), Guidelines on Opioid Infusions, OLCHC, Dublin.

OLCHC (2015), Guidelines on Pain Assessment, OLCHC, Dublin.

Created by The Nursing Department

Issue Date: May 2020 / Review Date: May 2023

Copyright and Disclaimer @2020. Children's Health Ireland at Crumlin, Dublin 12. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the copyright holder. Every effort has been made to ensure that the information provided is accurate and in accord with standards accepted at the time of printing.