#### External Transfer Assessment tool for Infants and Children from OLCHC to an outside facility

(Excluding critically ill patients ventilated or on ECHMO)

Please consider the infant/child's PFWS score prior to transfer

Assessment	Score	Please consider the infant/child's PEWS Assessment criteria	Equipment required Tick equipment taken	Inser
	0	Maintains own airway	If score is 0 Progress to breathing	
Airway	1	Risk to airway  Stable tracheostomy	Tracheostomy kit Oxygen and suction	
		Airway obstruction	Bag valve mask	
	2	Significant risk to airway  Post- operative Post procedural sedation New tracheostomy	Tracheostomy kit Portable oxygen and suction Pulse oximetry Bag valve mask	
	3	Cannot maintain airway needs intubation  Medical/Anaesthetic/PICU team must be present	Intubation kit and equipment identified by medical team Portable oxygen Portable suction Bag valve mask Tracheostomy kit Cardiac monitoring	
	0	Breathing without assistance with no increase or decrease of work of breathing	If score is 0 progress to circulation section	
Breathing	1	Risk to work of breathing on long term home oxygen with no increased or decreased work of breathing	Portable ;oxygen Pulse oximetry	
	2	Significant risk to work of breathing Increased oxygen requirements	Portable oxygen Pulse oximetry	
	3	Requires ventilation  Medical/Anaesthetic/PICU team must be present	Intubation kit and equipment required to be identified by the anaesthetic team Oxygen Pulse oximetry Portable suction Cardiac monitoring	
Circulation	0	On no infusions or can discontinue infusions	If score of 0 progress to GCS assessment	
	1	On intravenous fluids		
	2	On continuous intravenous medication including epidural	Pulse oximetry Cardiac monitor	
	3	Unstable requires assistance with fluid volume Has an arterial line  Medical/Anaesthetic/PICU team must be	Requires continuous monitoring on cardiac monitor and pulse oximetry	
		present		
	0	GCS is 15 alert and orientated	Owners	
GCS	1	Confused or aggressive or anxious Reduced mobility requiring assistance	Oxygen Suction Pulse oximetry	
	2	GCS is 10-13 or reduced by 1 from normal	Respirations Pulse oximetry	
	3	GCS is 3-9 or reduced by 2 from normal Responds to pain only  Medical/Anaesthetic/PICU team must be	Oxygen Suction Pulse oximetry Cardiac monitoring	
		present and transfer	Total transfer assessment score	


- 1. Assess the patient for transfer using the criteria above, and discuss with the senior nurse on duty
- 2. Discuss the escort required based on the score achieved. see Step 2. If the child is for transfer to an outside consider the staff required.
- 3. This document does not include the PEWs score see above, if required on transfer bring PEWs documentation.

# External Transfer Assessment tool for Infants and Children from OLCHC to an outside facility

(Excluding critically ill patients ventilated or on ECHMO)

Please consider the infant/child's PEWS score prior to transfer.





## This Assessment must be carried out by Senior Nursing staff and/or Anaesthetic/Medical/Surgical teams if required.

Liaison with the hospital Site Manager if required

Always consider the infant/child's PEWs prior to transfer

Assessment score	Escort required	
0	No escort, safe to transfer with parent/guardians or Health care Assistant/Undergraduate Student Nurse	
1-3	Higher Diploma Nursing Student, Undergraduate/Student Nurse/ Health care Assistant or Physiotherapist or Parent Guardian.	
4-6	Registered Children's Nurse, Registered General Nurse with appropriate skills and training, Accompanied by another RCN/RGN	
6-10	Registered Children's Nurse, Registered General Nurse, accompanied and consider medical assistance with transfer	
11-12	Anaesthetist/Medical/Surgical PICU escort with Registered Children's/General Nurse with appropriate skills and training	

## **External Transfer Assessment tool for** Infants and Children from OLCHC to an outside facility (Excluding critically ill patients ventilated or on ECHMO)

Please consider the infant/child's PEWS score prior to transfer.



### Step 3 Mode of transport suitability checklist

	Mode of Transport required	Considerations	Yes	No
1	Patient is medically fit to travel in a Car with parent/guardian	Is there an appropriate car seat		
2	Patient is medically fit to travel in a	Is there an appropriate car seat,		
	Taxi with parent/guardian	<ul> <li>Does the taxi need to be ordered with a request for a car seat?</li> </ul>		
		Does a taxi with wheel chair access need to be requested		
3	Patient is medically fit to travel in a	Is there an appropriate car seat,		
	Taxi with Registered nurse with or without parent/guardian	<ul> <li>Does the taxi need to be ordered with a request for a car seat?</li> </ul>		
		Does a taxi with wheel chair access need to be requested		
4	Patient is medically fit to travel in an ambulance with a registered nurse	<ul> <li>Is a car seat required</li> <li>Is any other equipment required see assessment overleaf</li> </ul>		
5	Patient requires a Medical registrar/anaesthetist and a registered Nurse to transport by ambulance and aircraft	See critical care transport guidance		